CONTENTS

Preface vii

Characterization of semiconductors by photoluminescence mapping at room temperature
M. Tajima 1

Two-dimensional image detection of luminescence and transport properties of GaAs
Y. Mori, M. Nakamura, Y. Sakachi and H. Ohkura 8

Application of picosecond time resolved photoluminescence mapping for the characterization of semi-insulating GaAs wafers
T. Katsumata, H. Imagawa, M. Watanabe, H. Suzuki and M. Koishi 14

A spatially resolved spectrally resolved photoluminescence mapping system
C.J.L. Moore and C.J. Miner 21

Surface characterization of semi-insulating GaAs wafers by room temperature photoluminescence mapping
R. Toba and M. Tajima 28

Spatial distributions of impurities and defects in Te- and Si-doped GaAs grown in a reduced gravity environment
Z.G. Wang, C.J. Li, S.K. Wan and L.Y. Lin 38

Complementary DSL, EBIC and PL study of grown-in defects in Si-doped GaAs crystals grown under Ga- and As-rich conditions by LEC method
J.L. Weyher, C. Frigeri and P.J. van der Wel 46

Raman microprobe analysis of GaAs wafers
J. Jimenez, M.A. González, B. Martín and B. Calvo 54

A study on defects in a ZnS_xSe_{1-x} crystal by Raman scattering tomography
K. Sakai, K. Sawahata and T. Ogawa 61

Cathodoluminescence imaging of semiconducting diamond formed by plasma CVD
Y. Yokota, H. Kawarada, J.S. Ma, K. Nishimura and A. Hiraki 65

Investigations of oxygen precipitates in Czochralski silicon wafers by using infrared tomography
J.P. Fillard 71

A quantitative light scattering tomography technique for measuring microprecipitate concentrations in GaAs and InP
T.J. Fawcett and M.R. Brozel 78

Investigation of changes of As precipitates in semi-insulating GaAs crystals at several temperatures by infrared light scattering tomography
T. Otoki, M. Watanabe, T. Inada and S. Kuma 85

Origin of microscopic inhomogeneities in bulk gallium arsenide
E. Molva, Ph. Bunod, A. Chabli, A. Lombardot, S. Dubois and F. Bertin 91

A line-scan system to assess homogeneity of [EL2] in heat-treated LEC SI GaAs
S. Clark, M.R. Brozel and D.J. Stirland 102

High resolution and sensitivity infrared tomography
J.P. Fillard, P.C. Montgomery, P. Gall, M. Castagné and J. Bonnafé 109

A three-dimensional study of dislocation lines in an In-doped GaAs crystal by layer-by-layer tomography
S. Todoroki, K. Sakai and T. Ogawa 116

Submicron optical sectioning microscopy: a particular inverse problem solution adapted to epilayer defect analysis
J.P. Fillard, P.C. Montgomery, P.Gall, J. Bonnafé and M. Castagné 120

Application of elastic IR light scattering for investigation of large-scale electrically active defects in semiconductors
V.V. Voronkov, S.E. Zabolotskiy, V.P. Kalinushkin, D.I. Murin, M.G. Ploppa and V.A. Yuryev 126

Synchrotron X-ray topographic studies on minute strain fields in as-grown silicon single crystals
T. Ishikawa 131

Synchrotron X-radiation plane-wave topography for imaging microdefects in thinned silicon crystals
Y. Chikaura, M. Imai, Y. Suzuki and Y. Yatsurugi 141

SiO_2/Si interface study with synchrotron radiation X-ray diffraction
I. Hirosawa, K. Akimoto, T. Tatsumi, J. Mizuki and J. Matsui 150

Microstructure and lattice distortion of anodized porous silicon layers
H. Sugiyama and O. Nittono 156

Observation of microscopic impurity distributions in InP using ion microscope
Y. Homma, M. Tomita, S. Kurosawa and S. Tohno 164
Remote contact LBIC imaging of defects in semiconductors
J. Bajaj and W.E. Tennant 170
High-sensitivity surface characterization with injected carriers by laser beam using focused reflectance microwave probe method
A. Usami, N. Yamada, K. Matsuki, T. Takeuchi and T. Wada 179
Formation of surface inversion layer in F^+-implanted n-type silicon
C.H. Chu, L.J. Chen and H.L. Hwang 188
Microtomography of semiconductor crystals in the EBIC mode
I.E. Bondarenko, S.K. Likharev, E.I. Rau and E.B. Yakimov 197
Thermal wave imaging of misfit dislocations and correlation with minority carrier lifetime
A. Bivas, W.L. Smith, R.R. Kola, Z.J. Radzimski and G.A. Rozgonyi 200
Studies of metal-induced surface defects in Czochralski Si following rapid thermal processing with thermal wave method
S. Hahn, W.L. Smith, H. Suga, R. Meinecke, R.R. Kola and G.A. Rozgonyi 206
The mechanism of modulated optical reflectance imaging of dislocations in silicon
J. Bailey, E.R. Weber and J. Opsal 217
Spatial distribution of donors in silicon implanted iron and iron–gallium doped semi-insulating indium phosphide
P.N. Favennec, H. L'Haridon, R. Coquillé, M. Salvi, M. Gauneau, A. Roizes, J.P. David, S.K. Krawczyk and J.Y. Longères 226
Mapping evaluation of damage effect on electrical properties of GaAs Schottky contacts
K. Shiojima and T. Okumura 234
Characteristics of facets in Si-doped GaAs crystals grown by horizontal Bridgman technique
T.P. Chen, Y.D. Guo, T.S. Huang and L.J. Chen 243
Characterization of growth cells in In-doped GaP crystals by birefringent method
J.T. Hsu and T.S. Huang 251
Round-robin test of EPD measurement on undoped GaAs wafers
K. Iwasaki, M. Imai and A. Nakamura 257
Combined use of EBIC and DSL photoetching for the quantitative assessment of defect properties in LEC GaAs
C. Frigeri and J.L. Weyher 268
The distribution of the deep donor EL2 and the net acceptor concentration in semi-insulating GaAs
A. Winnacker and F.X. Zach 275
Investigation of neutron radiation defects in silicon by high discriminability deep level transient spectroscopy (HDDLTS)
Wu Fengmei, Shi Yi and Wang Changhe 282
Scanning deep level transient spectroscopy (SDLTS) investigations of deep level spatial distribution in implanted silicon
O.V. Kononchuk and E.B. Yakimov 287
Low temperature electrical mapping of ion implanted FET layers: sidegating effect and transport properties
A. Roizes and J.P. David 291
Spatial distributions of induced traps in silicon by rapid thermal processing
Y. Tokuda, N. Kobayashi, A. Usami, Y. Inoue and M. Imura 297
Reverse contrast imaging in GaAs
A. Mohades-Kassai and M.R. Brozel 303
Distinguishing between EL2 and dislocation formation mechanisms in GaAs by mapping topographies
F.C. Wang, M.F. Rau, J. Kurz, D.D. Liao and R. Carter 311
Characterization and mapping of semi-insulating GaAs crystals grown by vertical zone melting and by vertical zone refining
R.-S. Tang, L. Sargent, J.S. Blakemore and E.M. Swiggard 323
DLTS and photoluminescence on-wafer mapping analyses for AlGaAs/GaAs heterojunction bipolar transistors
K. Watanabe and K. Wada 330
High resolution X-ray diffraction studies of semiconductor superlattices
S.J. Barnett 335
X-ray scattering radiography and orientation topography for characterization of semiconductor crystals
Y. Chikaura, H. Kii and Y. Suzuki 344
Contactless measurements of rapidly thermal processed MBE GaAs on Si and GaAs wafers
A. Usami, A. Ito, Y. Tokuda, H. Kano and T. Wada 350
X-ray topographic observation of subsurface line defects in GaAs on Si substrate
T. Yamamoto, Y. Shiba and K. Fujita 357
Anti-phase boundaries of GaAs on Si
Y. Itoh, H. Mori and M. Yamaguchi 363

Behaviour of anion vacancy in $In_xGa_{1-x}As_yP_{1-y}$ grown on (111)A and (100)GaAs
Q.S. Zhu, K. Hiramatsu, S. Tanaka and I. Akasaki 367
Influence of In content on defects of LPE GaAs epilayers
B.H. Yang, Z.G. Wang, H.J. He and L.Y. Lin 371
Defects in (100)CdTe epilayers grown on (100)GaAs by MOCVD
Peng Rui-wu, Ding Yong-qing, Wang Ge-ya and Peng Chen 380
Compensation of non-uniform illumination and background variations using recursive least squares algorithm
J.C.H. Chung and G.G. Leininger 389
A classification scheme for visual defects arising in semiconductor wafer inspection
A. Ravishankar Rao and R. Jain 398
Mathematical morphology applied to integrated circuit inspection
J. Vitrià and J.J. Villanueva 407
Models and algorithms of image processing of local SEM diagnostics
N.G. Ushakov 413
"Makyoh": the 2000 year old technology still alive
K. Kugimiya 420
Characterization of mirror-like wafer surfaces using the magic mirror method
S. Hahn, K. Kugimiya, M. Yamashita, P.R. Blaustein and K. Takahashi 423
Modern technique for the production and measurement of Makyoh images
K. Hibino, M. Yamauchi, M. Katoh and K. Matsuda 433
Characterization of mirror-polished silicon wafers by Makyoh method
S. Tokura, N. Fujino, M. Ninomiya and K. Masuda 437
Time-dependent dielectric breakdown evaluation for rapid-thermally grown SiO_2 films formed on submicron-grooved Si surfaces
T. Arakawa, H. Fukuda, Y. Okabe and S. Ohno 443
Surface defects in GaAs wafer processes
H. Matsushita, M. Ishida and J. Kikawa 448
Evaluation of directly bonded silicon wafer interface by the magic mirror method
O. Okabayashi, H. Shirotori, H. Sakurazawa, E. Kanda, T. Yokoyama and M. Kawashima 456
Characterization of polished surface by "Makyoh"
K. Kugimiya 461

Author index 469
Subject index 473